

Safety Data Sheet

Q-GLASS ORTHO - GLASS-IONOMER BAND CEMENT - LIQUID

Form 70010/B-MSDS, Rev. 2.1

Last revised: 30-July-2014

Approved for use: 30-July-2014

1. Chemical product and company identification

Product Name: Q-Glass Ortho - GLASS-IONOMER BAND CEMENT - LIQUID**Manufacturer:**

B.J.M Laboratories Ltd.®

12 Hassadna St. Industrial Park

Or-Yehuda 6022011

Israel

Tel: +972-3-7353000; Fax: +972-3-7353020

2. Composition / Information on Ingredients

Hazardous Ingredients	CAS #	Hazard Identification & Risk Phrases
Poly-acrylic Acid	9003-01-04	Xi, R36/38
DL-Tartaric Acid	133-37-9	Xi, R36/38

✓ Additional information: For the wording of the listed risk phrases refer to section 16.

3. Hazards Identification

Acute Health Hazards: May cause eye, respiratory and skin irritation in high concentrations.**Chronic Health Hazards:** Material is not known to cause significant health problems.**Signs and Symptoms of Exposure:** High concentrations can cause eye and respiratory irritation. Prolonged skin exposure can cause dryness.**Primary routes of exposure:** inhalation, skin contact, eye contact**Carcinogenicity:** NTP – no, OSHA – no, IARC – no.

4. First Aid Measures

In case of inhalation: If irritation occurs, take victim to open air. If breathing difficulty persists, consult a physician.**In case of skin contact:** Wash with soap and water.**In case of eye contact:** Flush with large quantities of water for 15 minutes. Consult a physician.**In case of ingestion:** Do not make the casualty vomit. If unconscious, do not give any thing by mouth. If conscious, rinse out the mouth with water. Give 1 pint of water to drink immediately and repeat drinks at the rate of 1/3 pint every 3 minutes. Consult a physician.

5. Fire-Fighting Measures

Flash Point: > 100°C**Extinguishing Media:** Carbon dioxide, water spray, dry chemical.**Special Fire Fighting Procedures:** Use extinguishing method & media suitable to surround fire.**Unusual Fire and Explosion Hazards:** None

6. Accidental Release Measures

Environmental Precautions: Avoid seepage into sewers and water supplies.**Clean-Up Procedure:** Contain spill and pick up material with a suitable absorbent material. Place absorbent into a container for later disposal. Clean spill area with detergent and water.

7. Handling and Storage

Handling: No special measures necessary if handled according to instructions.**Storage:** Keep container tightly closed when not in use. Store in a cool, dry location. Keep material in original packaging.

8. Exposure Controls / Personal Protection

Exposure Controls: Use only in well-ventilated areas.**Respiratory Protection:** Avoid inhalation of vapors. No special protection under normal use.**Hand and Skin Protection:** Avoid unnecessary skin contact. Wear latex gloves when handling.**Eye Protection:** Wear safety goggles or safety glasses with side shields when handling.

Hygiene Measures: Remove spilled material from skin and clothing. Do not eat or drink when handling this material.

9. Physical and Chemical Properties

Appearance: Colorless liquid

Odor: Specific odor

Boiling Point/Range: 100°C

Evaporation Rate (Water = 1): N/A

Vapor Density (Air = 1): N/A

Solubility in Water: Very soluble

pH: Acidic

Specific Gravity (H₂O=1) = 1.25g/cm³

Percent Volatile (^{w/w} %): 60 (WATER)

10. Stability and Reactivity

Stability: This material is stable.

Hazardous Reactions: None if handled according to directions

Hazardous Polymerization: May occur.

Conditions to Avoid: Heat.

Incompatibility: Reactive materials, e.g. metals, peroxides, etc.

Hazardous Decomposition Products: CO, CO₂

11. Toxicological Information

Acute oral toxicity : LD₅₀ (rat) > 2000 mg/KG

Irritation of Skin: dryness and irritation possible upon prolonged exposure

Allergic Effects: acrylates sensitive individuals may exhibit an allergic reaction.

12. Ecological Information

Do not discharge into sewers or water supplies

Environmental persistence and degradability: no data available

Ecotoxicity: no data available

13. Disposal Considerations:

May be disposed of in landfill or incinerator in accordance with local, state and federal regulations.

14. Transport Information:

14.1 Transport at land	ADR	8	RID	8
	UN Number	3265	Kemler Number	
	Packing Group	II		
14.2 Transport at sea	Proper shipping name	Corrosive liquid, acidic, organic, n.o.s.		
	ADNR	8	IMDG	
	UN Number	3265		
	EMS		MFAG	
14.3 Air transport	Packing Group	II		
	Proper shipping name	Corrosive liquid, acidic, organic, n.o.s.		
	ICAO / IATA-DGR	8		
	UN Number	3265		
	Proper shipping name	Corrosive liquid, acidic, organic, n.o.s.		
	Subsidiary Risk			
	Labels			
	Packing Group	II		

U.S. DOT Shipping Name: Corrosive Liquid

U.S. DOT Hazard Class: 8

U.N./N.A. Number: UN3265

U.S. DOT Packing Group: II

Other: Corrosive

15. Regulatory Information:

This product requires classification according to the criteria of EC.

The product is a medical device according to the EC-directive 93/42.

15.1 UN Number 3265

15.2 National regulations

15.3 EU number

15.4 Hazard symbols



15.5 Hazard designation

15.6 Risk phrases

15.7 Safety phrases

C **Xi**
C: Corrosive liquid, acidic, organic, n.o.s.; Xi: Irritant

R: 36, 37/38

36 Irritating to eyes.
37/38 Irritating to respiratory system and skin.

S: 2, 9, 16, 23, 26, 28, 24/25, 37/39

2 Keep out of the reach of children.
9 Keep container in a well-ventilated place.
16 Keep away from sources of ignition - No smoking.
23 Do not breathe vapour.
26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advise.
28 After contact with skin, wash immediately with plenty of water and soap.
24/25 Avoid contact with skin and eyes.
37/39 Wear suitable gloves and eye/face protection.

U.S.-O.S.H.A. Status: This material is not hazardous under the criteria of the U.S. Federal Hazard Communication Standard.

16. Other Information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall establish a legally valid contractual relationship.

Relevant R-phrases

36/37/38 Irritating to eyes, respiratory system and skin.
C Corrosive
Xi Irritant.

Material should be maintained in original containers. Empty containers should not be re-used.

ANSI/NFPA 704 Data:

Fire = 0
Health = 1
Reactivity = 0
Specific Hazard = None

This information is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data, or the results to be obtained from use thereof. In no event will the manufacturer or distributor be responsible for damages of any nature whatsoever resulting from the use of, or reliance upon this information. General properties described herein are to be regarded as guides and are not guaranteed for all samples.
