# BJM LAB B.J.M. Laboratories Ltd. SAFETY DATA SHEET:

# **Q-CERAM**

# 1. Chemical Product and Company Identification

Product Name: Q-CERAM Ceramic Primer

Manufacturer: **B.J.M. Laboratories Ltd.** Address: 12 Hassadna Street, Industrial Park, Or-Yehuda, 6022011, Israel. Telephone: +972-74-7000111 / Fax: +972-3-7353020.

## 2. Composition / Information of Hazardous Ingredients

		Hazard
Hazardous Ingredients	CAS#	Identification &
		<b>Risk Phrases</b>
Ethyl alcohol	64-17-5	F, R11
3-trimethoxysilylpropyl methacrylate	2530-85-0	Xi, R36/37/38
10-Methacryloyloxydecyl dihydrogen phospate	85590-00-7	Xi, R36/37/39
Acetic Acid	64-19-7	Xi, R35, R36/37/38

## **3.** Hazards Identification Xi Irritant; Flammable.

<u>Acute Health Hazards:</u> May cause eye, respiratory and skin irritation. <u>Chronic Health Hazards:</u> Material is not known to cause significant health problems.

<u>Signs and Symptoms of Exposure:</u> High concentrations can cause eye and respiratory irritation. Prolonged skin exposure can cause dryness. <u>Primary Routes of Exposure:</u> Inhalation, skin contact, eye contact. <u>Carcinogenicity:</u> NTP – no, OSHA – no, IARC – no.

## 4. First Aid Measures in Cause of Inhalation

<u>Inhalation</u>: If irritation occurs, take victim to open air. Get medical attention.
 <u>In case of skin contact</u>: wash with soap and water.
 <u>In case of eye contact</u>: Flush with large quantities of water for 15 minutes. Consult a physician.
 <u>In case of ingestion</u>: Drink two glasses of water or milk. Seek medical attention if a substantial amount has been ingested. Do not induce vomiting.

## 5. Fire-Fighting Measures

<u>Flash Point:</u> 18°C / 64°F (Ethanol) <u>Extinguishing Media:</u> Carbon dioxide, foam or dry chemical.

Q-CERAM

Page 1 of 5

Revision 3.1 EU acc. To ISO 11014



re and Explosion Hazarda: Upon combustion i

<u>Unusual Fire and Explosion Hazards:</u> Upon combustion, irritating gases may form..

## 6. Accidental Release Measures

<u>Personal Precautions:</u> Prevent skin/ eye contact <u>Environmental Precautions:</u> Avoid ground water contamination.. <u>Clean-Up Procedure:</u> Wipe with damp paper towel. Discard properly.

## 7. Handling and Storage

<u>Handling:</u> No special measures necessary if handled according to instructions. <u>Storage:</u> Keep container tightly closed when not in use. Keep about 10°C. Keep material in original packaging. Avoid extreme heat and light.

## 8. Exposure Controls/ Personal Protection

Exposure Controls: Use only in well ventilated areas. Eye Protection: Use protective eyewear. Hand and Skin Protection: Avoid unnecessary skin contact. Wear latex gloves when handling. Hygiene Measures: Remove spilled material from skin and clothing. Do not eat or drink when handling this material.

## 9. Physical and Chemical Properties

Appearance: Colorless liquid Odor: Odorless. Boling Point/ Range: N/E Evaporation Bate (water = 1): N/A Vapor Density (Air = 1): N/A Solubility in Water: Miscible Solubility in organic solvents: Soluble in alcohols, ketones, etc. Acidity: pH=4-5

#### **10.** Stability and Reactivity

<u>Stability:</u> This material is stable. <u>Hazardous Reactions:</u> None if handled according to directions <u>Conditions to Avoid:</u> Heat. <u>Incompatibility:</u> Strong caustics, metals, sulfides and sulfites..

## **11.** Toxicological Information

<u>Acute oral toxicity:</u> LD50 (rat) > 5000 mg/kg <u>Irritation to Eyes:</u> Irritates the eyes. <u>Irritation of Skin:</u> May irritate the skin. <u>Allergic Effects:</u> May cause allergic reaction on contact with skin.

Q-CERAM

Page 2 of 5

Revision 3.1 EU acc. To ISO 11014

Last revised: 27-May-2019 Approved for use: 30-May-2019



<u>Other:</u> If swallowed, may cause sore throat and burns of the mouth and throat. Prolonged exposure may cause burns to the respiratory tract, contact with soft tissues may cause burns.

## 12. Ecological Information

There is no specific information on the product. Use according to good working practices, avoiding release of the product into environment.

## **13.** Disposal Considerations

May be disposed of in landfill or incinerator In accordance with local, state and federal regulations.

#### 14. Transport Information

14.1 Transport at land	ADR	3	RID	3
	UN Number	1170	Kemler Number	
	Packing Group	111		
	Proper shipping name	Ethanol Solution		
14.2 Transport at sea	ADNR	3	IMDG	3
	UN Number	1170		
	EMS	F-E, S-D	MFAG	
	Packing Group	III		
	Proper shipping name	Ethanol Solution		
14.3 Air transport	ICAO / IATA-DGR			
	UN Number	1170		
	Proper shipping name	Ethanol Solution		
	Subsidiary Risk			
	Labels	Ethanol Solution		
	Packing Group	III		

<u>U.S. DOT</u> Shipping Name: Ethanol Solution <u>U.S. DOT</u> Hazard Class: 3 <u>Number:</u> UN1170 <u>U.S. Dot Packing Group:</u> III <u>Other:</u> Class 3 Flammable Liquids.

## 15. Regulatory Information

Q-CERAM

Page 3 of 5

Revision 3.1 EU acc. To ISO 11014



This product requires classification according to the criteria of EC. The product is a medical device according to the EC-directive 93/42.

15.1 UN Number 1170
15.2 National regulations
15.3 EU number
15.4 Hazard symbols



Xi: Irritant. F: Highly Flammable. Contains Ethyl Alcohol C: Corrosive liquid, acidic, organic.

# R: 11, 36, 37, 38, <mark>39</mark>

11 Highly flammable36 Irritating to eyes.37/38 Irritating to respiratory system and skin.

15.7 Safety phrases

15.6 Risk phrases

15.5 Hazard

designation

S: 2, 7, 9, 16, 22, 23, 26, 28, 24/25, 37/39, 43
2 Keep out of the reach of children.
7 Keep container tightly closed.
9 Keep container in a well-ventilated place.
16 Keep away from sources of ignition - No smoking.
22 Harmful if swallowed.
23 Do not breathe vapour.
26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advise.
28 After contact with skin, wash immediately with plenty of water and soap.
24/25 Avoid contact with skin and eyes.
37/39 Wear suitable gloves and eye/face protection.
43 May cause sensitization by skin contact.

<u>U.S. – O.S.H.A. Status:</u> This material is Xi: Irritant. F: Flammable. C: Corrosive under the criteria of the U.S. Federal Hazard Communication Standard.

## 16. Other Information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall establish a legally valid contractual relationship.

#### **Relevant R-phrases**

11 Highly flammable 34 Causes burns Xi Irritant

Material should be maintained in original containers. Empty containers should not be re-used. <u>AN SI / NFPA 704 DATA</u> Health: 2

```
Q-CERAM
```

Page 4 of 5

Revision 3.1 EU acc. To ISO 11014

Last revised: 27-May-2019 Approved for use: 30-May-2019



Flammability: <mark>2</mark> Reactivity: <mark>0</mark> Special hazards: None

This information is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data, or the results to be obtained from use thereof. In no event will the manufacturer or distributor be responsible for damages of any nature whatsoever resulting from the use of, or reliance upon this information. General properties described herein are to be regarded as guides and are not guaranteed for all samples.

Revision 3.1 EU acc. To ISO 11014

Last revised: 27-May-2019 Approved for use: 30-May-2019