

SAFETY DATA SHEET

BJM Root Canal Sealer

1. Chemical Product and Company Identification

Product Name: BJM Root Canal Sealer, Epoxy

Two Paste epoxy-amine self-cure resin root canal sealer

<u>Restrictions on use</u>: For use only by dental professionals only.

Manufacturer: B.J.M. Laboratories Ltd.

Address: 12 Hassadna Street, Industrial Park, Or-Yehuda, 6022011, Israel.

Telephone: +972-74-7000111/ Fax: +972-3-7353020. Website: www.bjmlabs.com, Email: info@bjmlabs.com

EU Rep: OBELIS S.A.

Address: Bd. Général Wahis, 53 1030 Brussels, Belgium Telephone: +32.2.732.59.54 / Fax: +32.2.732.60.03 Website: www.obelis.net, Email: Regulatory@obelis.net



2. Hazards Identification Xi Irritant.

Acute Health Hazards: May cause eye, respiratory and skin irritation.

Chronic Health Hazards: Material is not known to cause significant health problems. **Signs and Symptoms of Exposure:** High concentrations can cause eye and respiratory

irritation. Prolonged skin exposure can cause dryness.

Primary routes of exposure: Inhalation, skin contact, eye contact.

Carcinogenicity: NTP - no, OSHA - no, IARC – no.

3. Composition / Information on Ingredients

Hazardous Ingredients	% by Wt.*	CAS#	Hazard Identification & Risk Phrases			
Epoxy resin	<50%	9003-36-5	Xi, N, H319/315, H317,			
			H411			
Zirconium Oxide	<50%	1314-23-4	Xi, H319/335/315			
Non-Hazardous Ingredients						
Fumed Silica	<5%	112926-00-8	N/A			

^{*}The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

✓ <u>Additional information:</u> For the wording of the listed risk phrases refer to section 16.

4. First Aid Measures

<u>In Cause of Inhalation:</u> If irritation occurs, take victim to open air. <u>In case of skin contact:</u> wash with soap and water.

L of 5 Revision 5.1 EU acc. to ISO 11014, REACH
Last revised: 05-Nov-2023
Approved for use: 06-Nov-2023

RCS A

Page 1 of 5



<u>In case of eye contact:</u> Flush with large quantities of water for 15 minutes.

Consult a physician.

In case of ingestion: Consult a physician.

5. Fire-Fighting Measures

Flashpoint: N/A

Extinguishing Media: Carbon dioxide, water spray, foam or dry chemical.

Special Fire Fighting Procedures: Avoid a direct jet of water.

Unusual Fire and Explosion Hazards: None.

6. Accidental Release Measures

<u>Environmental Precautions:</u> Avoid spillage into sewers and water supplies. <u>Clean-Up Procedure:</u> Contain spill and pick up material with a suitable absorbent material. Place absorbent into a container for later disposal. Clean spill area with detergent and water.

7. Handling and Storage

<u>Handling:</u> No special measures necessary if handled according to instructions. <u>Storage:</u> Keep container tightly closed when not in use. Store in a cool, dry location. Keep material in original packaging.

8. Exposure Controls/ Personal Protection

Exposure Controls: Use only in well ventilated areas.

<u>Hand and Skin Protection:</u> Avoid unnecessary skin contact. Wear latex gloves when handling.

<u>Hygiene Measures:</u> Remove spilled material from skin and clothing. Do not eat or drink when handling this material.

9. Physical and Chemical Properties

Appearance: Yellow paste.

Odor: Specific odor.

Boling Point/Range: N/A

Evaporation Bate (water = 1): N/A <u>Vapor Density</u> (Air = 1): N/A Solubility in Water: Insoluble

10. Stability and Reactivity

Stability: This material is stable.

Hazardous Reactions: None if handled according to directions

<u>Hazardous Polymerization:</u> May occur. <u>Conditions to Avoid:</u> Heat; UV-light.

Incompatibility: Free radicals, reducing agents, heavy metal ions.

<u>Hazardous Decomposition Products:</u> Carbon dioxide, carbon monoxide, acrylic decomposition products, depending on conditions of heating and burning.

11. Toxicological Information

Acute oral toxicity:

<u>Irritation of Skin:</u> Dryness and Irritation possible upon prolonged exposure.

Allergic Effects: Individuals may exhibit an allergic reaction.

12. Ecological Information

Do not discharge into sewers or water supplies.

Environmental persistence and degradability: No data available.

Revision 5.1 EU acc. to ISO 11014, REACH Last revised: 05-Nov-2023 Approved for use: 06-Nov-2023



<u>Ecotoxicity</u>: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms Do not allow product to reach ground water, water course or sewage system, even in small quantities.

13. Disposal Considerations

May be disposed of in landfill or incinerator In accordance with local, state and federal regulations.

14. Transport Information

14.1 Transport at land	ADR UN Number	9 (M6) 3082	RID Kemler Number	90
	Packing Group	III	Number	
	Proper shipping name	Miscellaneous Dangerous Substances and Articles		
14.2 Transport at sea	ADNR	9	IMDG	
	UN Number EMS	3082	MFAG	
	Packing Group	III		
	Proper shipping name	Environmentally Hazardous Substance, Liquid		
14.3 Air transport	ICAO / IATA-DGR	9		
	UN Number	3082		
	Proper shipping name	Environmentally Hazardous Substance, Liquid		
	Subsidiary Risk Labels Packing Group	9 III		

<u>U.S. DOT</u> Shipping Name: Not Regulated U.S. DOT Hazard Class: None U.N/ N.A.

Number: None

U.S. Dot Packing Group: None

Other: Not considered hazardous cargo.

15. Regulatory Information

This product requires classification according to the criteria of EC. The product is a medical device according to the Council Directive 93/42/EEC and EU Regulation 2017/745 for Medical Devices.

15.1 UN Number 3082

Page 3 of 5

15.2 National regulations

15.3 EU number

Revision 5.1 EU acc. to ISO 11014, REACH

Last revised: 05-Nov-2023 Approved for use: 06-Nov-2023



15.4 Hazard symbols



15.5 Hazard designation

Xi: Irritant. N: Dangerous for the environment. Contains: Epoxy constituents.

15.6 Risk phrases

R: 319, 335/315, 317, 411

319 Irritating to eyes.

335/315 Irritating to respiratory system and skin. 317 May cause sensitization by skin contact.

411 Toxic to aquatic organisms may cause long-term adverse effects in the aquatic environment.

15.7 Safety phrases

P: 102, 403, 210, 260, 305+351+338, 303+361+353, 262, 280, 503

102 Keep out of the reach of children.

403 Keep container in a well-ventilated place.

210 Keep away from sources of ignition - No smoking.

260 Do not breathe vapor.

305+351+338 In case of contact with eyes, rinse

immediately with plenty of water and seek medical advice.

303+361+353 After contact with skin, wash immediately with plenty of water and soap.

262 Avoid contact with skin and eyes.

280 Wear suitable gloves and eye/face protection.

503 Use appropriate container to avoid environmental

contamination.

60 This material and its container must be disposed of as

hazardous waste.

<u>U.S. – O.S.H.A. Status:</u> This material is not hazardous under the criteria of the U.S. Federal Hazard Communication Standard.

16. Other Information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall establish a legally valid contractual relationship.

Relevant H-phrases

319 Irritating to eyes.

335/315 Irritating to respiratory system and skin.

317 May cause sensitisation by skin contact.

411 Toxic to aquatic organisms may cause long-term adverse effects in the aquatic environment.

Xi Irritant

Approved for use: 06-Nov-2023



Material should be maintained in original containers. Empty containers should not be re-used.

ANSI / NFPA 704 DATA

Fire = 1 Health = 1 Reactivity = 1 Specific

Revision 5.1 EU acc. to ISO 11014, REACH

This information is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data, or the results to be obtained from use thereof. In no event will the manufacturer or distributor be responsible for damage of any nature whatsoever resulting from the use of, or reliance upon this information. General properties described herein are to be regarded as guides and are not guaranteed for all samples.