

SAFETY DATA SHEET

High-Q-Bond [™] Orthodontic Bracket Adhesive

1. Chemical Product and Company Identification

Product Name: High-Q-Bond™ Orthodontic Bracket Adhesive

<u>Description</u>: Light-cure bracket adhesive system for direct bonding of metal and ceramic orthodontic brackets to tooth surfaces. Restrictions on use: For use only by dental professionals.

Manufacturer: **B.J.M. Laboratories Ltd.** Address: 12 Hassadna St., Industrial Park, Or-Yehuda 6022011, Israel. Telephone: +972-74-7000111 / Fax. +972-3-7353020 Email: *info@bjmlabs.com* Website: *www.bjmlabs.com*

European Representative: **Obelis S.A.** Bd. General Wahis 53, 1030 Brussels, Belgium Telephone: +32 2 732 59 54 Email: <u>regulatory@obelis.net</u>

2. Hazards Identification.

Acute Health Hazards: May cause eye, respiratory and skin irritation.



<u>Chronic Health Hazards</u>: Material is not known to cause significant health problems. <u>Signs and Symptoms of Exposure</u>: High concentrations can cause eye and respiratory irritation. Prolonged skin exposure can cause dryness. <u>Primary Routes of Exposure</u>: Inhalation, skin contact, eye contact. <u>Carcinogenicity</u>: NTP – no, OSHA – no, IARC – no.

3. Composition / Information of Hazardous Ingredients

Hazardous Ingredients	% by Wt	CAS #	Hazard Identification & Risk Phrases	
Urethane Dimethacrylate	<20%*	72869-86-4	Xi, H317, H411	
Triethylenglycoldimethacrylate	<10%*	109-16-0	Xi, H319/335/315, H317	
2-Hydroxyethylmethacrylate	<5%*	868-77-9	Xi, H319/315-317	
Non-Hazardous Ingredients				
Photoinitiators	<1%*	10337-78-1	N/A	
Polymerization activators	<1%*	60506-81-2	N/A	
Fumed Silica	<10%*	112945-52-5	N/A	
Glass Filler	<70%*	65997-17-3	N/A	
Titanium dioxide	<5%*	13463-67-7	N/A	

HQB ID1ABR



B.J.M. Laboratories Ltd.

* The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

Additional information: For the wording of the listed risk phrases refer to section 16.

4. First Aid Measures in Cause of Inhalation

If irritation occurs, take victim to open air. <u>In case of skin contact:</u> wash with soap and water. <u>In case of eye contact:</u> Flush with large quantities of water for 15 minutes. Consult a physician. <u>In case of ingestion:</u> Consult a physician.

5. Fire-Fighting Measures

<u>Flash Point:</u> N/E <u>Extinguishing Media:</u> Carbon dioxide, water spray, dry chemical. <u>Special Fire Fighting Procedures:</u> Avoid a direct jet of water. <u>Unusual Fire and Explosion Hazards:</u> None.

6. Accidental Release Measures

<u>Environmental Precautions:</u> Avoid seepage into sewers and water supplies. <u>Clean-Up Procedure:</u> Contain spill and pick up material with a suitable absorbent material. Place absorbent into a container for later disposal. Clean spill area with detergent and water.

7. Handling and Storage

<u>Handling</u>: No special measures necessary if handled according to instructions. <u>Storage</u>: Keep container tightly closed when not in use. Store in a cool, dry location, away from light, open flames, contamination. Keep material in original packaging.

8. Exposure Controls/ Personal Protection

Exposure Controls: Use only in well ventilated areas. Hand and Skin Protection: Avoid unnecessary skin contact. Wear latex gloves when handling. Hygiene Measures: Remove spilled material from skin and clothing. Do not eat or drink when handling this material.

9. Physical and Chemical Properties

Appearance: Light yellow paste. Odour: Specific odor. Boling Point/ Range: N/E Evaporation Rate (water = 1): N/A Vapor Density (Air = 1): N/A Solubility in Water: Insoluble

10. Stability and Reactivity

<u>Stability:</u> This material is stable. <u>Hazardous Reactions:</u> None if handled according to directions. <u>Hazardous Polymerization:</u> May occur. <u>Conditions to Avoid:</u> Heat; UV-light. <u>Incompatibility:</u> Free radicals, reducing agents, heavy metal ions. <u>Hazardous Decomposition Products:</u> Carbon dioxide, carbon monoxide, acrylic decomposition products, depending on conditions of heating and

burning.

HQB ID1ABR

Page 2 of 4



11. Toxicological Information

Acute oral toxicity: LD50 (rat) > 5000 mg/kg

<u>Irritation of Skin:</u> Dryness and Irritation possible upon prolonged exposure. <u>Allergic Effects:</u> Methacrylate sensitive individuals may exhibit an allergic reaction.

12. Ecological Information

Do not discharge into suvers or water supplies. <u>Environmental persistence and degradability</u>: No data available. <u>Ecotoxicity</u>: No data available.

13. Disposal Considerations

May be disposed of in landfill or incinerator In accordance with local, state and federal regulations.

14. Transport Information

14.1 Transport at land	ADR	RID
	UN Number	Kemler Number
	Packing Group	
	Proper shipping name	
14.2 Transport at sea	ADNR	IMDG
	UN Number	
	EMS	MFAG
	Packing Group	
	Proper shipping name	
14.3 Air transport	ICÃO / IATA-DGR	
*	UN Number	
	Proper shipping name	
	Subsidiary Risk	
	Labels	
	Packing Group	
U.S. DOT Shinning No.		

<u>U.S. DOT</u> Shipping Name: Not Regulated <u>U.S. DOT</u> Hazard Class: None U.N/ N.A. <u>Number:</u> None <u>U.S. Dot Packing Group:</u> None <u>Other:</u> Not considered hazardous cargo.

15. Regulatory Information

This product requires classification according to the criteria of EC. The product is a medical device according to the Council Directive 93/42/EEC and EU Regulation 2017/745 for Medical Devices.

- 15.1 UN Number
- 15.2 National regulations
- 15.3 EU number
- 15.4 Hazard symbols



Xi: Irritant.

15.5 Hazard designation

15.6 Risk phrases

H: **302,319,335/315, 317** 302 Harmful if swallowed

HQB ID1ABR

Page 3 of 4

Revision 6.1 EU acc. to ISO 11014, REACH Last revised: 05-Nov-2023 Approved for use: 06-Nov-2023



B.J.M. Laboratories Ltd.

319 Irritating to eyes.335/315Irritating to respiratory system and skin.317 May cause sensitization by skin contact.

15.7 Safety phrases

P: 102, 403, 210, 260, 305+351+338, 303+361+353, 262, 280
102 Keep out of the reach of children.
210 Keep away from sources of ignition - No smoking.
260 Do not breathe vapor.
305+351+338 In case of contact with eyes, rinse
immediately with plenty of water and seek medical advice
303+361+353 After contact with skin, wash immediately
with plenty of water and soap.
262 Avoid contact with skin and eyes.
280 Wear suitable gloves and eye/face protection.

<u>U.S. – O.S.H.A. Status:</u> This material is not hazardous under the criteria of the U.S. Federal Hazard Communication Standard.

16. Other Information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall establish a legally valid contractual relationship.

Relevant H-phrases

319/335/315 Irritating to eyes, respiratory system and skin. 317 May cause sensitization by skin contact.



Material should be maintained in original containers. Empty containers should not be re-used.

ANSI/NFPA 704 Data:

Fire = 1 Health = 0 Reactivity = 0 Specific Hazard = None

Revision 6.1 *EU acc. to ISO 11014, REACH* Last revised: 05-Nov-2023

This information is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data, or the results to be obtained from use thereof. In no event will the manufacturer or distributor be responsible for damages of any nature whatsoever resulting from the use of, or reliance upon this information. General properties described herein are to be regarded as guides and are not guaranteed for all samples.